



SUMMARY OF THE MAIN ADVANTAGES

Dear Sirs,

I hope that these elements, together with the professionalism of IMMES, are worthy to consider our system as the winning solution for your factory.

I am available to meet with your Board for a more detailed presentation and for a negotiations .

Best Regards

Paolo Reffo Scarso
IMMES SRL

SAVINGS	ELECTRICITY	ONE ONLY WORKING PUMP PROVIDES ALL THE PRESSURE UP TO WORKING MACHINES FOR THE WHOLE FACTORY (PUMPS IN EACH MACHINE CAN BE REMOVED). FOR VOLUMES OF 50.000 LITRES/HOUR THE ELECTRIC CONSUMPTION IS ABOUT 13,8 KW / H
	ELECTRICITY	FLUIDIZATION IN THE BOTTOM OF THE INITIAL TANK IS PROVIDED BY THE PUMP THROUGH A FLUIDIZATION INJECTORS' RING WITHOUT ANY ADDITIONAL PUMP OR MOTOR
	ELECTRICITY	AN INVERTER REGULATES THE PUMP POWER TO ADAPT THE R.P.M. TO THE REAL NEEDS OF THE FACTORY
	WATER	THE FILTERED CLEAR WATER (NO LIMITS OF VOLUME) IS SUITABLE FOR CNC CENTRAL SPINDLE AND HIGH-TECH MACHINES, AVOIDING COMPLETELY NEW INCOMES OF WATER
	FLOCCULANTS	NO FLOCCULANTS ARE REQUIRED
	REFRIGERATING OILS	WITH LIMPID WATER IN THE MACHINES, YOU WON'T NEED THE ADDITION OF REFRIGERATING OILS
	GRINDING WHEELS	GRINDING WHEELS LIFE IS LONGER UP TO 15%
	MAINTENENCE	THE DTP IS COMPLETELY AUTOMATIC AND DOESN'T REQUIRES A DEDICATED STAFF.
	MAINTENENCE	THE DTP DOESN'T REQUIRES ANY MAINTENENCE FOR ALL THE LIFE. THE FILT PROVIDES AUTOMATICALLY A DAILY SELF CLEANING WASH.
	MAINTENENCE	NO MAINTENENCE IN THE FACTORY STRUCTURES AS CHANNELS, MACHINES , SURROUNDINGS , ETC.
	MAINTENENCE	HAVING ONLY 2 IDENTICAL PUMPS TO CONTROLE, THE MAINTENENCE AND REPAIR IS QUICK, SAFE AND COST EFFECTIVE
	GLASS PRODUCTION	BETTER QUALITY ON GLASS PRODUCTION AVOIDING RISKS OF DEFECTS IN SCANNING CONTROLS
INVESTMENTS	CLEAN WATER WITHOUT CHEMICAL ADDITIONS WILL PREVENT MA FROM CORROSION AND A FAST DETERIORATION	



SUMMARY • F THE MAIN ADVANTAGE



SUMMARY • F THE MAIN ADVANTAGE